

PRO Series

Auto-Darkening Welding Helmets



299366
May 2026

NEW!



PRO16



PRO7



PRO9



PRO13

Quick Specs

3-YEAR WARRANTY

Optical Clarity Rating

1/1/1/1 (1/1/1/2 on PRO7 and PRO9 models)

Variable Shade

PRO7 / PRO9 / PRO13: 5-9 / 9-13

PRO16: Auto Mode: 3 / 7-13,

Manual Mode: 3 / 5-13


Switching Speed 1/25,000 second

Operating Modes Weld, cut and grind

Standards ANSI Z87.1, CSA Z94.3

PureColor™ PRO

Brightens and improves your view of the weld.




PureColor™ PRO Lens

Dark State

Traditional Lens

Dark State



PureColor™ PRO Lens

Light State

Traditional Lens

Light State

Headgear



1. Ergonomic design

2. Adjustability for a customizable fit

3. Stability and enhanced comfort



Hobart Welding Products

An ITW Welding Company

Sales: 800-626-9420

Service: 800-332-3281

HobartWelders.com



ISO 9001
Quality

PRO7



771028



1. Viewing Area
2. Shade Control
3. Sensitivity Control
4. Delay Control
5. Mode Control
6. Grind/Low Battery Indicator

Viewing Area 7 sq. in. (45 sq. cm)
Optical Clarity Rating 1/1/1/2
Shades Variable shade 5-9 / 9-13

Switching Speed 1/25,000 second
Operating Modes Weld, cut and grind
Sensors 3
Weight 18.5 oz. (524 g)

PRO9



771029



1. Viewing Area
2. Weld/Grind Control
3. Sensitivity Control
4. Grind/Low Battery Indicator
5. Shade Control
6. Delay Control

Viewing Area 9.3 sq. in. (60 sq. cm)
Optical Clarity Rating 1/1/1/2
Shades Variable shade 5-9 / 9-13

Switching Speed 1/25,000 second
Operating Modes Weld, cut and grind
Sensors 4
Weight 19.4 oz. (550 g)

PRO13



771030



1. Viewing Area
2. Weld/Grind Mode and Low Battery Indicators
3. Memory Control
4. Shade Control
5. Sensitivity Control
6. Delay Control

Viewing Area 13 sq. in. (84 sq. cm)
Optical Clarity Rating 1/1/1/1
Shades Variable shade 5–9 / 9–13

Switching Speed 1/25,000 second
Operating Modes Weld, cut and grind
Sensors 4
Weight 19.0 oz. (537 g)

PRO16



771031



1. Viewing Area
2. Grind/Low Battery Indicator
3. Auto/Manual Mode Control
4. Shade/Lock Shade Controls
5. External Grind Control



Viewing Area 16.32 sq. in. (105 sq. cm)
Optical Clarity Rating 1/1/1/1
Shades Auto Mode: 3 / 7–13
 Manual Mode: 3 / 5–13

Switching Speed 1/25,000 second
Operating Modes Weld, cut and grind
Sensors 4
Weight 22.1 oz. (627 g)

Helmets



PRO7
771028



PRO9
771029



PRO13
771030



PRO16
771031

Accessories

Replacement Headgear 771040

Replacement Lens Frame 771041

Replacement Auto-Darkening Lens

771032 For PRO7

771033 For PRO9

771034 For PRO13

771035 For PRO16

Protective Lens Kit

771036 For PRO7

771037 For PRO9

771038 For PRO13

771039 For PRO16

Clear protective lens kit includes five outside lenses and two inside lenses.